



MODEL 28.330 FL


14 TON
6x4 FREIGHT CARRIER

MODEL 28.330 FL

14 TON
6x4 FREIGHT CARRIER

CAB	
Cab Control	Forward (Tilt Cab)
Seating	Driver + 1 Passenger
Type/Extras	Semi Sleeper with Aircon, Radio with USB, Suspension Seat

ENGINE	
Make & Model	FAW
Model Configuration	WD 615.44
Capacity	9 728 cm ³
Layout & Type	6 Cylinder in line, Water Cooled, Turbo Charged & Intercooled
Emissions Standard	Euro II
Power @ r/min (Kw)	245 Kw @ 2 200 rpm
Torque @ r.min (Nm)	1 250 Nm @ 1 200 - 1 600 rpm



TRANSMISSION	
Make & Model	FAW CA9T B160M
No of Gears	9 Speed Manual Syncromesh, Hi/Lo Range Split
High and Low Ratios	12.11, 8.08, 5.96, 4.42, 3.36, 2.41, 1.77, 1.32, 1.0
Reverse Ratio	12.66

CLUTCH	
Diameter	430 mm
Type	Single Plate
Operation	Hydraulic - Air Assisted

STEERING	
Gear Ratio	20.48:1
Type	Recirculating Ball
Operation	Power Assisted

PERFORMANCE	
Gradeability @ V	Max 36%
Geared Road Speed	93 km/h

AXLES	
Front Axle	I-section Beam (forged steel)
Rear Axle - Gearing Type	Full Floating - Single Reduction
Rear Axle Ratio	4.875:1

BRAKES	
System Type	Full Air - Dual Circuit
Total Friction Area	3 440 cm ²
Park/Emergency System	Spring Brakes/Rear Booster

FUEL TANK	
Number	One
Total Capacity	400 Litre



ELECTRICAL SYSTEM	
System Voltage & Type	24V Negative Earth
Alternator Output	1 500W
No. of Batteries	Two X 12V
Battery Capacity (Each)	150 Amphere Hour

CHASSIS	
Type	Straight Ladder Type - Riveted
Front Suspension	Semi-Elliptical Leaf Springs with Double Acting Shock Absorbers
Rear Suspension	Semi-Elliptical Leaf Springs with Auxillary Springs

WHEELS	
Tyre Size	315/80 X 22.5 16PR
Rim Size	9.00 X 22.5
Ply Rate	16 PR
Type	Radial

MASS DATA		kg
Manufacturer's Gross Vehicle Mass (GVM)		28 000
Manufacturer's Gross Combination Mass (GCM)		50 000
Manufacturer's Front Axle Mass (GA Front)		8 000
Manufacturer's Rear Axle Mass (GAU Rear)		21 000
Permissible Gross Vehicle Mass (V)		25 500
Permissible Gross Combination Mass (D/T)		49 440
Permissible Front Axle Mass (A Front)		7 500
Permissible Rear Axle Mass (A Rear)		18 000
Unladen Front Axle Mass (T Front)		4 540
Unladen Rear Axle Mass (T Rear)		4 100
Unladen Mass Total (Tare)		8 640

DIMENSIONS		mm
Wheelbase (WB)		5 775
Overall Length (OL)		9 868
Cab Length (A)		2 100
Overall Width (OW)		2 495
Overall Height (OH)		2 960
Front Overhang (D)		1 418
Rear Overhang (ROH)		2 675
Cab to Rear Axle (CA)		5 773
Minimum Cab Clearance		150
Cab to End of Chassis (F)		7 785
Minimum Turning Radius		11 265
Minimum Turning Diameter		22 530
Ground Clearance		230
Track - Front		2 020
Track - Rear		1 830
Chassis Outer Width		800
Chassis Inner Width		640



The above specifications are not binding - subject to change without prior notice.